UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/599,152	09/21/2006	Anton Bech	P09036US00/DEJ	5054
881 STITES & HAI	7590 08/27/200 RBISON PLLC	EXAMINER		
	FAIRFAX STREET		HUDA, SAEED M	
ALEXANDRIA	A, VA 22314		ART UNIT	PAPER NUMBER
			1791	
			MAIL DATE	DELIVERY MODE
			08/27/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

		Applica	ation No.	Applicant(s)				
		10/599		BECH, ANTON	BECH, ANTON			
Office Action Summary			ner	Art Unit				
		SAEED	M. HUDA	1791				
Period fo	The MAILING DATE of this communica	ation appears on	the cover sheet w	ith the correspondence a	ddress			
A SH WHIC - Exter after - If NC - Failu Any I	ORTENED STATUTORY PERIOD FOR CHEVER IS LONGER, FROM THE MAIN IN TH	ILING DATE OF 37 CFR 1.136(a). In no lication. tory period will apply and II, by statute, cause the	THIS COMMUNIO event, however, may a r d will expire SIX (6) MON application to become AE	CATION. reply be timely filed NTHS from the mailing date of this of BANDONED (35 U.S.C. § 133).				
Status								
1) 又	Responsive to communication(s) filed	on <i>06 May 200</i> 9						
2a)□	This action is FINAL . 2b)⊠ This action is non-final.							
3)	Since this application is in condition fo	<i>,</i> —		ters, prosecution as to th	e merits is			
- /	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Dispositi	on of Claims							
4)🛛	Claim(s) <u>1-40</u> is/are pending in the app	plication.						
•	4a) Of the above claim(s) <u>32-40</u> is/are withdrawn from consideration.							
	Claim(s) is/are allowed.							
· · · · · · · · · · · · · · · · · · ·	☐ Claim(s) <u>1-31</u> is/are rejected.							
7)	Claim(s) is/are objected to.							
	Claim(s) are subject to restriction	on and/or election	າ requirement.					
Applicati	on Papers							
9)□	The specification is objected to by the I	Examiner.						
•			b)□ objected to	by the Examiner.				
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).								
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.05(a).								
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.								
Priority ι	ınder 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some col None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.								
2) 🔲 Notic 3) 🔯 Inform	t(s) e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTC mation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date 12/21/2006 and 05/06/2009.	D-948)	Paper No(s	Summary (PTO-413) s)/Mail Date nformal Patent Application 				

DETAILED ACTION

Election/Restriction

1. Applicant's election with traverse of claims 1-31 in the reply filed on 05/06/2009 is acknowledged and claims 32-40 are withdrawn from further consideration pursuant to 37 CFR 1.142(b), as being drawn to a nonelected group, there being no allowable generic or linking claim. The traversal is on the ground(s) that groups I-III related to a single general inventive concept under PCCT Rule 13.1. This is not found persuasive because the inventions listed as groups I-III do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons:

The technical feature common to Groups I-III is the invention related a mold with an air permeable surface member and a drainage system. This cannot be a special technical feature under PCT Rule 13.2, because the element is known in the prior art.

Bezzola (WO 99/07532) teach a plastic tool formed from a casing resin and having a working face which comprises a pre-formed metal sheet. The pre-formed metal surface may be of any derived metal such as aluminum, steel, stainless steel, galvanized steel, custom textured sheet or copper. The tool can be used in vacuum molding. Holes are drilled through the metal sheet. The inner of the mold could be a porous mixture of, for example, an epoxy casting resin and aluminum granulate. The porous layer is surrounded by an impervious covering through which it is attached to a vacuum line, thereby forming a vacuum mould. The mould tool can also comprise heating and cooling tubes (abstract).

Art Unit: 1791

Accordingly, the special technical feature linking the three inventions does not provide a contribution over the prior art, and no single general inventive concept exists. Therefore, restriction is appropriate.

The requirement is still deemed proper and is therefore made FINAL. Claim Rejections - 35 USC § 112

- 2. The following is a quotation of the second paragraph of 35 U.S.C. 112:
 - The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 3. Claims 1-31 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
 - a. The term "large member" used is vague and has no well recognized meaning in the particular filed, so that it lends the reader to doubt about the technical feature to which it refers, thereby rendering the definition of the subject-matter of claim 1 unclear.
 - b. The use of the term "preferably" in claims 2-4, 7-12, 14-17, 20, 22-24, 27, and 31 leads to confusion as to the real limitation of the scope of the subject matter of the corresponding claims.
 - c. Claim 3 has been drafted as a depending on claim 1, but from its wording, namely the use of the expression "the network", it must be considered as dependent on claim 2. Moreover, in claim 3, the expression "the two-dimensional network" is obscure, as it is difficult to imagine how a two-dimensional feature an serve for transport of air. The corresponding paragraph on page 8 of the

Art Unit: 1791

description does not bring any explanation of what is meant. Consequently, the subject matter of claim 3 lacks clarity.

Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 1-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Furuya et al. (US 6499715 B1) in view of Bezzola (WO 99/07532).
 - a. Regarding claims 1, 13, 23-24, 28, and 30-31, Furuya et al. teach a resin mold that has a surface layer (active mold surface) (abstract) where the mold can be evacuated to make a vacuum formed sheet or panel product (column 6, lines 45-49) and the use of cooling pipes 24 (column 4, lines 27-40). This would indicate that there is an air-drainage system present. The surface of the mold has bores through which air can travel (air permeable) and air may be transported between the active mold surface and the air drainage system. The air permeable surface member forms the substantially entire active mold surface (figure 1, column 4, lines 26-40, and column 6, lines 45-49). Furuya et al. go on to teach a main body 10 (support structure) is arranged to support the air-drainage system (including the cooling pipes) and the air permeable surface which is composed of steel balls (additional component of the air-drainage system) (column 2, lines 53-55 and figure 1). The main body is used to support

Art Unit: 1791

the mold and it can be seen that the support structure would provide for a major part of the load bearing ability of the mold (figure 1). The air permeable surface would not be substantially airtight in that air flow is necessary and it would necessarily follow that a system would be present in order to control the amount of vacuum or pressure and that the drainage system would be airtight so that the air may be efficiently removed via the bores. Furuya et al. fail to teach that the support structure forms an entire surface which is substantially airtight.

Bezzola teaches a plastic tool formed from a casting resin that has a working face which comprises a pre-formed metal sheet (abstract). Bezzola teaches the use of a base where said base is made of a porous layer 18 that is surrounded by an impervious covering 24 (i.e. would be airtight) (bottom of page 6 and figures). It would have been obvious to one having ordinary skill in the art at the time of the invention to use the impervious covering of Bezzola to make the base structure of Furuya et al. airtight because this allows the air pulled through the surface of the mold to be directed to a specific location for removal. If the air was pulled through a mold that was not airtight, this would result in a process and apparatus that was inefficient.

b. Regarding claim 2 and 6, Furuya et al. in view of Bezzola teach that the air transport system comprises a network (channels) for transport of air (Furuya et al. figure 1 #20 and #24) where said network follows the active mold surface (Furuya et al. figure 1).

Art Unit: 1791

c. Regarding claim 3, Furuya et al. in view of Bezzola teach that the system used to evacuate air through (air drainage system) is comprised of a permeable surface which is composed of steel balls (islands of solid material) (Furuya et al. column 2, lines 53-55 and figure 1). It would follow that air that is pulled via vacuum through the mold would pass through the spaces between the network of islands (Furuya et al. figures).

- d. Regarding claim 4, Furuya et al. in view of Bezzola teach that the mold has steel balls (islands) with a circular cross-sectional shape (Furuya et al. figures).
- e. Regarding claim 5, Furuya et al. in view of Bezzola teach that the balls are connected (Furuya et al. figures) and the point of connection can be considered to be the connector. From the figures, it can be seen that the connecter height is smaller than the height of the islands. In the event that the connecters, as described above, do not read on the claimed connectors, it would have been obvious to one having ordinary skill in the art at the time of the invention to space the balls as necessary to get the desired airflow and that this spacing would be provided via the use of connector pieces placed such that airflow would be preserved. The size of the connector pieces would be smaller than the island because if the pieces were larger than the islands, the airflow holes would be too large.
- f. Regarding claim 7-9 and 14-21, Furuya et al. in view of Bezzola fail to explicitly teach the claimed cross section, distance between neighboring

Application/Control Number: 10/599,152

Page 7

Art Unit: 1791

channels, percentage of openings, circle diameter, density of passage structure openings, or open volume percentage. Absent evidence of unexpected results obtained from using the claimed gap cross section or distance, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have selected a suitable value for the above values to effectively allow proper airflow, the above values being a result effective variable routinely optimized by those of skill in the art. The optimization of a range or other variable within the claims that flows from the "normal desire of scientists or artisans to improve upon what is already generally known" is prima facie obvious. In re Peterson, 315 F.3d 1325, 1330 (Fed. Cir. 2003) (determining where in a disclosed set of percentage ranges the optimum combination of percentages lies is prima facie obvious). The discovery of an optimum value of a variable in a known process is usually obvious. In re Aller, 220 F.2d 454, 456 (C.C.P.A. 1955). See also In re Boesch, 617 F.2d 272, 276 (C.C.P.A. 1980) ("[D]iscovery of an optimum value of a result effective variable in a known process is ordinarily within the skill of the art."). See also In re Geisler, 116 F.3d 1465, 1470 (Fed. Cir. 1997) ("'[I]t is not inventive to discover the optimum or workable ranges by routine experimentation." (quoting Aller, 220 F.2d at 456)); In re Kulling, 897 F.2d 1147, 1149 (Fed. Cir. 1990) (finding no clear error in Board of Patent Appeals and Interferences' conclusion that the amount of eluent to be used in a washing sequence was a matter of routine optimization known in the pertinent prior art and therefore obvious).

Art Unit: 1791

g. Regarding claims 10-11, Furuya et al. in view of Bezzola teach that the air drainage system and the air permeable surface is integrated with the support structure (Furuya et al. figure 1).

- h. Regarding claim 12, Furuya et al. in view of Bezzola teach air-drainage system is positioned between the support structure and the air-permeable surface member (Furuya et al. figure 1).
- i. Regarding claim 22, Furuya et al. in view of Bezzola teach that the mold's air permeable surface which is composed of steel balls (column 2, lines 53-55 and figure 1), which is a heat resistant material. This would indicate that the surface is mechanically and chemically stable at the curing temperature. The softening and melting points of steel are well above the claimed temperatures.
- j. Regarding claim 25, Furuya et al. in view of Bezzola teach the use of a vacuum forming tool made of polyurethane and other foam molds and polystyrene foam molds (Bezzola page 3, paragraph 1).
- k. Regarding claim 26, Furuya et al. in view of Bezzola teach that holes may be drilled into the surface to create an air permeable surface (Bezzola figure 3 and page 6 bottom).
- I. Regarding claim 27, Furuya et al. in view of Bezzola fail to teach the use of a mold release agent; however, it would have been obvious to one having ordinary skill in the art at the time of the invention to use mold release to prevent the produced article from sticking to the mold and circumvent the need of having to force the article from the mold surface which may damage the surface.

Art Unit: 1791

m. Regarding claim 29, it would have been obvious to one having ordinary skill in the art at the time of the invention to have the mold surface secured releasably to the air drainage system in that it could be detached for easy cleaning and refurbishing.

Conclusion

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to SAEED M. HUDA whose telephone number is (571)270-5514. The examiner can normally be reached on 8:00 - 5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Steve Griffin can be reached on (571) 272-1189. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/KHANH NGUYEN/ Primary Examiner, Art Unit 1791

/SAEED M. HUDA/ Examiner, Art Unit 1791